

## 19" WALL MOUNT TELECOM RACKS

### Features:

- Available in 6U, 9U, 12U & 15U
- Available in RAL 7016, RAL 7035 & RAL 9005
- Fabricated using CRCA steel with Powder Coated Finish.
- Comply with EIA 310 D & IEC 297
- Suitable for Indoor use.
- Offering an Ingress Protection Rating, IP 20
- Available in both Single Section & Double Section
- Coming with Lockable Toughened Glass Front Door
- Swing Frame Design for Double Section cabinets
- Removable side panels with lock for maintenance access
- Load Bearing capacity is up to 40 kg
- Coming with two pair of 19" Vertical Extrusions (Mounting Profile)
- Cable Entry provisions provided from top and bottom of the Rack
- Provision to mount the Ventilation Fans on the top of the Rack




### DETAILS OF MATERIAL USED FOR FABRICATION

CRCA Steel, Thickness of Vertical Extrusions/Mounting Profile: 2 mm,  
Others : 1.2 mm

### SURFACE FINISH



Degreasing, Pickling, Seven Tank Hot Phosphating, Cleaning &  
Powder Coating

# 19" WALL MOUNT TELECOM RACKS



**Double Section Wall Mount Rack**

**Single Section Wall Mount Rack**



## 19" WALL MOUNT TELECOM RACKS

### Available Models

Model No./Part No.	Height (U)	Actual Unit Dimension(mm)		
		H	W	D
NYS-SSWMR-60456U	6	325	600	450
NYS-SSWMR-60556U	6	325	600	550
NYS-SSWMR-60606U	6	325	600	600
NYS-SSWMR-60459U	9	460	600	450
NYS-SSWMR-60559U	9	460	600	550
NYS-SSWMR-60609U	9	460	600	600
NYS-SSWMR-604512U	12	592	600	450
NYS-SSWMR-605512U	12	592	600	550
NYS-SSWMR-606012U	12	592	600	600
NYS-SSWMR-604515U	15	728	600	450
NYS-SSWMR-605515U	15	728	600	550
NYS-SSWMR-606015U	15	728	600	600
NYS-DSWMR-60556U	6	325	600	550
NYS-DSWMR-60606U	6	325	600	600
NYS-DSWMR-60559U	9	460	600	550
NYS-DSWMR-60609U	9	460	600	600
NYS-DSWMR-605512U	12	592	600	550
NYS-DSWMR-606012U	12	592	600	600
NYS-DSWMR-605515U	15	728	600	550
NYS-DSWMR-606015U	15	728	600	600

Note: All the above models are available in RAL 7016, RAL 7035 & RAL 9005. Other selected colors may available upon request.

## 19" WALL MOUNT TELECOM RACKS

---

### Available Accessories

- Horizontal Power Distribution Unit
- Ventilation Fans (2 Pcs,90 CFM each)
- 1 U Blank Panel
- 2 U Blank Panel
- 1 U Brush Panel
- Component Shelf