

WALL MOUNT FIBER PATCH PANEL

Features:

- Compact Design
- Lockable System
- Wall Mountable
- Up to 24 Core Fiber
- 3, 6 and 12 Duplex Adaptor
- SC, LC, ST & FC Adaptor
- Connector Polish Type PC/UPC/APC
- Single and Multimode
- Direct Termination
- Fusion Splicing
- Cold Rolled Steel Sheet
- Light Grey Color



Wall Mount Fiber Optic Patch Panel with lockable system are recommended for secured high density terminations allowing economical interconnection of fibers for wall space limitations. Loaded panel comes with adaptor plates and splice management.

WALL MOUNT FIBER PATCH PANEL

Technical Specifications

Material: Cold Rolled Steel Sheet

Dimensions: H230 x W300 x D100 mm

Adaptor Type: SC / LC / ST / FC

Port: 3, 6 and 12 Duplex (6, 12 and 24 Core Fiber)

Environmental Specifications

Minimum Temperature: -25° C

Maximum Temperature: +70° C

IK Impact Resistance Degree: IK 10

Installation and Assembly

Indoor Installation: Yes

Outdoor Installation: Yes, Inside Weatherproof Enclosure

DIN Rail Mounting: No

Wall Mounting: Yes

Available Models

Part No:	Description
SINGLE MODE:	
NYS-WMFPP-SM-SC-3D-6C	SINGLE MODE SC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-SM SC-6D-12C	SINGLE MODE SC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-SM SC-12D-24C	SINGLE MODE SC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-SM-LC-3D-6C	SINGLE MODE LC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-SM-LC-6D-12C	SINGLE MODE LC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-SM LC-12D-24C	SINGLE MODE LC 12 DUPLEX PORT FOR 24 CORE FIBER

WALL MOUNT FIBER PATCH PANEL

Part No:	Description
NYS-WMFPP-SM-ST-3D-6C	SINGLE MODE ST 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-SM-ST-6D-12C	SINGLE MODE ST 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-SM-ST-12D-24C	SINGLE MODE ST 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-SM-FC-3D-6C	SINGLE MODE FC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-SM-FC-6D-12C	SINGLE MODE FC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-SM-FC-12D-24C	SINGLE MODE FC 12 DUPLEX PORT FOR 24 CORE FIBER
MULTI MODE:	
NYS-WMFPP-MM-OM2-SC-3D-6C	MULTI MODE OM2 SC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM3-SC-3D-6C	MULTI MODE OM3 SC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM4-SC-3D-6C	MULTI MODE OM4 SC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM2-SC-6D-12C	MULTI MODE OM2 SC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM3-SC-6D-12C	MULTI MODE OM3 SC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM4-SC-6D-12C	MULTI MODE OM4 SC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM2-SC-12D-24C	MULTI MODE OM2 SC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM3-SC-12D-24C	MULTI MODE OM3 SC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM4-SC-12D-24C	MULTI MODE OM4 SC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM2-LC-3D-6C	MULTI MODE OM2 LC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM3-LC-3D-6C	MULTI MODE OM3 LC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM4-LC-3D-6C	MULTI MODE OM4 LC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM2-LC-6D-12C	MULTI MODE OM2 LC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM3-LC-6D-12C	MULTI MODE OM3 LC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM4-LC-6D-12C	MULTI MODE OM4 LC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM2-LC-12D-24C	MULTI MODE OM2 LC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM3-LC-12D-24C	MULTI MODE OM3 LC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM4-LC-12D-24C	MULTI MODE OM4 LC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM2-ST-3D-6C	MULTI MODE OM2 ST 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM3-ST-3D-6C	MULTI MODE OM3 ST 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM4-ST-3D-6C	MULTI MODE OM4 ST 3 DUPLEX PORT FOR 6 CORE FIBER

WALL MOUNT FIBER PATCH PANEL

Part No:	Description
NYS-WMFPP-MM-OM2-ST-6D-12C	MULTI MODE OM2 ST 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM3-ST-6D-12C	MULTI MODE OM3 ST 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM4-ST-6D-12C	MULTI MODE OM4 ST 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM2-ST-12D-24C	MULTI MODE OM2 ST 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM3-ST-12D-24C	MULTI MODE OM3 ST 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM4-ST-12D-24C	MULTI MODE OM4 ST 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM2-FC-3D-6C	MULTI MODE OM2 FC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM3-FC-3D-6C	MULTI MODE OM3 FC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM4-FC-3D-6C	MULTI MODE OM4 FC 3 DUPLEX PORT FOR 6 CORE FIBER
NYS-WMFPP-MM-OM2-FC-6D-12C	MULTI MODE OM2 FC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM3-FC-6D-12C	MULTI MODE OM3 FC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM4-FC-6D-12C	MULTI MODE OM4 FC 6 DUPLEX PORT FOR 12 CORE FIBER
NYS-WMFPP-MM-OM2-FC-12D-24C	MULTI MODE OM2 FC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM3-FC-12D-24C	MULTI MODE OM3 FC 12 DUPLEX PORT FOR 24 CORE FIBER
NYS-WMFPP-MM-OM4-FC-12D-24C	MULTI MODE OM4 FC 12 DUPLEX PORT FOR 24 CORE FIBER

Note: Default Connector Finishing Type is UPC (PC/APC type can be provided on request). Pigtail & Patch Cord are sold separately.